

Label Italy

POWER SPLITTERS, FM, VHF, UHF, SHF


| | | |
|-------------------|---|----------------|
| FM | SINGLE STEP POWER SPLITTERS | Pag. 1 |
| FM | DOUBLE STEPS POWER SPLITTERS | Pag. 2 |
| VHF-TV-DAB | DOUBLE STEPS POWER SPLITTERS | Pag. 3 |
| UHF-TV | QUADRUPLE STEPS POWER SPLITTERS | Pag. 4 |
| FM UMBAL. | UMBALANCED POWER SPLITTERS | Pag. 5 |
| VHF-UMBAL. | UMBALANCED POWER SPLITTERS | Pag. 6 |
| UHF-UMBAL. | UMBALANCED POWER SPLITTERS | Pag. 7 |
| VHF | POWER SPLITTERS FOR STL/AMATEUR | Pag. 8 |
| UHF | POWER SPLITTERS FOR STL/AMATEUR | Pag. 9 |
| SHF | POWER SPLITTERS FOR STL, 1,6GHz AND 2,4GHz | Pag. 10 |

POWER SPLITTERS FM

FM SPLITTERS «1 STEP»

FEATURES

- FM SINGLE STEP SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| 2 OUT | | | Out - 7/16 | Out - N |
|-----------|--|--|---------------|---------------|
| In - 7/8 | | | GACF/2M (4KW) | GACF/2N (2KW) |
| In - 7/16 | | | GACM/2M (2KW) | GACM/2N (2KW) |
| In - N | | | | GACN/2N (1KW) |

| 3 OUT | | | Out - 7/16 | Out - N |
|-----------|--|--|---------------|---------------|
| In - 7/8 | | | GACF/3M (5KW) | GACF/3N (3KW) |
| In - 7/16 | | | GACM/3M (2KW) | GACM/3N (2KW) |
| In - N | | | | GACN/3N (1kW) |

| 4 OUT | | | Out - 7/16 | Out - N |
|-----------|--|--|---------------|---------------|
| In - 7/8 | | | GACF/4M (5KW) | GACF/4N (4KW) |
| In - 7/16 | | | GACM/4M (2KW) | GACM/4N (2KW) |
| In - N | | | | GACN/4N (1kW) |


* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS FM

FM SPLITTERS «2 STEPS»

FEATURES

- FM DOUBLE STEPS SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| 2 OUT | Out - 1+5/8 | Out - 7/8 | Out - 7/16 | Out - N |
|------------|----------------|----------------|---------------|---------------|
| In - 3+1/8 | GAXR/2S (30KW) | | | |
| In - 1+5/8 | GAXS/2S (15KW) | GAXS/2F (10KW) | GAXS/2M (4KW) | |
| In - 7/8 | | GAXF/2F (2KW) | GAXF/2M (4KW) | GAXF/2N (2KW) |
| In - 7/16 | | | GAXM/2M (2KW) | GAXM/2N (2KW) |

| 3 OUT | Out - 1+5/8 | Out - 7/8 | Out - 7/16 | Out - N |
|------------|----------------|----------------|---------------|---------------|
| In - 3+1/8 | GAXR/3S (30KW) | | | |
| In - 1+5/8 | | GAXS/3F (15KW) | GAXS/3M (6KW) | |
| In - 7/8 | | GAXF/3F (5KW) | GAXF/3M (5KW) | GAXF/3N (3KW) |
| In - 7/16 | | | GAXM/3M (2KW) | GAXM/3N (2KW) |

| 4 OUT | Out - 1+5/8 | Out - 7/8 | Out - 7/16 | Out - N |
|------------|----------------|----------------|----------------|---------------|
| In - 3+1/8 | GAXR/4S (30KW) | GAXR/4F (20KW) | | |
| In - 1+5/8 | | GAXS/4F (15KW) | GAXS/4M (15KW) | |
| In - 7/8 | | GAXF/4F (5KW) | GAXF/4M (5KW) | GAXF/4N (4KW) |
| In - 7/16 | | | GAXM/4M (2KW) | GAXM/4N (2KW) |

| 6 OUT | Out - 1+5/8 | Out - 7/8 | Out - 7/16 | Out - N |
|------------|-------------|----------------|----------------|---------------|
| In - 3+1/8 | | GAXR/6F (30KW) | GAXR/6M (12KW) | |
| In - 1+5/8 | | GAXS/6F (15KW) | GAXS/6M (12KW) | |
| In - 7/8 | | GAXF/6F (5KW) | GAXF/6M (5KW) | GAXF/6N (5KW) |
| In - 7/16 | | | GAXM/6M (2KW) | GAXM/6N (2KW) |

| 8 OUT | Out - 1+5/8 | Out - 7/8 | Out - 7/16 | Out - N |
|------------|-------------|----------------|----------------|---------------|
| In - 3+1/8 | | GAXR/8F (30KW) | | |
| In - 1+5/8 | | GAXS/8F (15KW) | GAXS/8M (15KW) | |
| In - 7/8 | | GAXF/8F (5KW) | GAXF/8M (5KW) | GAXF/8N (5KW) |
| In - 7/16 | | | | GAXM/8N (2KW) |


* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS VHF-TV

VHF SPLITTERS «2 STEPS»

FEATURES

- TV VHF - DAB TWO STEPS SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| 2 OUT | | Out - 7/8 | Out - 7/16 | Out - N |
|-------|------------|-----------------|-----------------|-----------------|
| | In - 1+5/8 | GAXS/2F (7KW) | GAXS/2M (3KW) | |
| | In - 7/8 | GAXF/2F (3.5KW) | GAXF/2M (3KW) | GAXF/2N (1KW) |
| | In - 7/16 | | GAXM/2M (1.5KW) | GAXM/2N (1KW) |
| | In - N | | | GAXN/2N (500W) |
| 3 OUT | | Out - 7/8 | Out - 7/16 | Out - N |
| | In - 1+5/8 | GAXS/3F (10KW) | GAXS/3M (4.5KW) | |
| | In - 7/8 | GAXF/3F (3.5KW) | GAXF/3M (3.5KW) | GAXF/3N (1.5KW) |
| | In - 7/16 | | GAXM/3M (1.5KW) | GAXM/3N (1.5KW) |
| | In - N | | | GAXN/3N (500W) |
| 4 OUT | | Out - 7/8 | Out - 7/16 | Out - N |
| | In - 1+5/8 | GAXS/4F (10KW) | GAXS/4M (6KW) | |
| | In - 7/8 | GAXF/4F (3.5KW) | GAXF/4M (3.5KW) | GAXF/4N (2KW) |
| | In - 7/16 | | GAXM/4M (1.5KW) | GAXM/4N (1.5KW) |
| | In - N | | | GAXN/4N (500W) |
| 6 OUT | | Out - 7/8 | Out - 7/16 | Out - N |
| | In - 1+5/8 | GAXS/6F (10KW) | GAXS/6M (9KW) | |
| | In - 7/8 | GAXF/6F (3.5KW) | GAXF/6M (3.5KW) | GAXF/6N (3KW) |
| | In - 7/16 | | GAXM/6M (1.5KW) | GAXM/6N (1.5KW) |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS UHF-TV

UHF SPLITTERS « 4 STEPS »

FEATURES

- TV UHF 4 STEPS POWER SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN SILVER PLATED
BRASS OR ALUMINUM
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| 2 OUT | Out - 7/8 | Out - 7/16 | Out - N |
|------------|---------------|---------------|----------------|
| In - 1+5/8 | GAZS/2F (4KW) | GAZS/2M (2KW) | |
| In - 7/8 | | GAZF/2M (2KW) | GAZF/2N (600W) |
| In - 7/16 | | GAZM/2M (1KW) | GAZM/2N (60W) |
| In - N | | | GAZN/2N (300W) |

| 3 OUT | Out - 7/8 | Out - 7/16 | Out - N |
|------------|---------------|---------------|----------------|
| In - 1+5/8 | GAZS/3F (5KW) | GAZS/3M (3KW) | |
| In - 7/8 | | GAZF/3M (2KW) | GAZF/3N (900W) |
| In - 7/16 | | GAZM/3M (1KW) | GAZM/3N (900W) |
| In - N | | | GAZN/3N (300W) |

| 4 OUT | Out - 7/8 | Out - 7/16 | Out - N |
|------------|---------------|---------------|-----------------|
| In - 1+5/8 | GAZS/4F (5KW) | GAZS/4M (4KW) | |
| In - 7/8 | | GAZF/4M (2KW) | GAZF/4N (1.2KW) |
| In - 7/16 | | GAZM/4M (1KW) | GAZM/4N (1KW) |
| In - N | | | GAZN/4N (300W) |

| 6 OUT | Out - 7/8 | Out - 7/16 | Out - N |
|------------|---------------|---------------|-----------------|
| In - 1+5/8 | GAZS/6F (5KW) | GAZS/6M (5KW) | |
| In - 7/8 | | GAZF/6M (2KW) | GAZF/6N (1.8KW) |
| In - 7/16 | | GAZM/6M (1KW) | GAZM/6N (1KW) |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

UNBALANCED SPLITTERS FM

FM SPLITTERS «2 STEPS»

FEATURES

- FM UNBALANCED SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



Typical partition reports , others on request

| | |
|-------|---|
| 2 Way | 90+10% , 80+20% , 70+30% |
| 3 Way | 80+10+10% , 70+15+15% , 40+40+20% , 45+45+10% |
| 4 Way | 45+45+5+5% , 40+40+10+10% , 35+35+15+15% |
| 6 Way | 35+35+10+10+5+5% , 30+30+15+15+5+5% |

| Model | Article description | Power | IN | OUT |
|---------|---|-------|-------|------|
| GAAN/2N | FM "Unbalanced" Power Divider , 2 Outputs | 1KW | N | N |
| GAAN/3N | FM "Unbalanced" Power Divider , 3 Outputs | 1KW | N | N |
| GAAN/4N | FM "Unbalanced" Power Divider , 4 Outputs | 1KW | N | N |
| GAAN/6N | FM "Unbalanced" Power Divider , 6 Outputs | 1KW | N | N |
| GAAM/2M | FM "Unbalanced" Power Divider , 2 Outputs | 2KW | 7/16 | 7/16 |
| GAAM/3M | FM "Unbalanced" Power Divider , 3 Outputs | 2KW | 7/16 | 7/16 |
| GAAM/4M | FM "Unbalanced" Power Divider , 4 Outputs | 2KW | 7/16 | 7/16 |
| GAAM/6M | FM "Unbalanced" Power Divider , 6 Outputs | 2KW | 7/16 | 7/16 |
| GAAF/2M | FM "Unbalanced" Power Divider , 2 Outputs | 4KW | 7/8 | 7/16 |
| GAAF/3M | FM "Unbalanced" Power Divider , 3 Outputs | 5KW | 7/8 | 7/16 |
| GAAF/4M | FM "Unbalanced" Power Divider , 4 Outputs | 5KW | 7/8 | 7/16 |
| GAAF/6M | FM "Unbalanced" Power Divider , 6 Outputs | 5KW | 7/8 | 7/16 |
| GAAF/2F | FM "Unbalanced" Power Divider , 2 Outputs | 5KW | 7/8 | 7/8 |
| GAAF/3F | FM "Unbalanced" Power Divider , 3 Outputs | 5KW | 7/8 | 7/8 |
| GAAF/4F | FM "Unbalanced" Power Divider , 4 Outputs | 5KW | 7/8 | 7/8 |
| GAAF/6F | FM "Unbalanced" Power Divider , 6 Outputs | 5KW | 7/8 | 7/8 |
| GAAS/2M | FM "Unbalanced" Power Divider , 2 Outputs | 4KW | 1+5/8 | 7/16 |
| GAAS/3M | FM "Unbalanced" Power Divider , 3 Outputs | 6KW | 1+5/8 | 7/16 |
| GAAS/4M | FM "Unbalanced" Power Divider , 4 Outputs | 8KW | 1+5/8 | 7/16 |
| GAAS/6M | FM "Unbalanced" Power Divider , 6 Outputs | 12KW | 1+5/8 | 7/16 |
| GAAS/2F | FM "Unbalanced" Power Divider , 2 Outputs | 10KW | 1+5/8 | 7/8 |
| GAAS/3F | FM "Unbalanced" Power Divider , 3 Outputs | 15KW | 1+5/8 | 7/8 |
| GAAS/4F | FM "Unbalanced" Power Divider , 4 Outputs | 15KW | 1+5/8 | 7/8 |
| GAAS/6F | FM "Unbalanced" Power Divider , 6 Outputs | 15KW | 1+5/8 | 7/8 |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

UNBALANCED SPLITTERS VHF

VHF SPLITTERS «2 STEPS»

FEATURES

- TV VHF - DAB UNBALANCED SPLITT.
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| Model | Article description | Power | IN | OUT |
|---------|--|-------|-----|------|
| GAVF/2M | VHF - DAB "Unbalanced" Power Divider , 2 Outputs | 3KW | 7/8 | 7/16 |
| GAVF/4M | VHF - DAB "Unbalanced" Power Divider , 4 Outputs | 4KW | 7/8 | 7/16 |

Typical partition reports , others on request

| | |
|-------|---|
| 2 Way | 90+10% , 80+20% , 70+30% |
| 3 Way | 80+10+10% , 70+15+15% , 40+40+20% , 45+45+10% |
| 4 Way | 45+45+5+5% , 40+40+10+10% , 35+35+15+15% |
| 6 Way | 35+35+10+10+5+5% , 30+30+15+15+5+5% |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

UNBALANCED SPLITTERS UHF

UHF SPLITTERS « 4 STEPS»

FEATURES

- TV UHF UNBALANCED SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN SILVER PLATED
BRASS OR ALUMINUM
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| Model | Article description | Power | IN | OUT |
|---------|---|-------|-----|------|
| GAWF/2M | TV UHF "Unbalanced" Power Divider , 2 Outputs | 2KW | 7/8 | 7/16 |
| GAWF/4M | TV UHF "Unbalanced" Power Divider , 4 Outputs | 2KW | 7/8 | 7/16 |

Typical partition reports , others on request

| | |
|-------|---|
| 2 Way | 90+10% , 80+20% , 70+30% |
| 3 Way | 80+10+10% , 70+15+15% , 40+40+20% , 45+45+10% |
| 4 Way | 45+45+5+5% , 40+40+10+10% , 35+35+15+15% |
| 6 Way | 35+35+10+10+5+5% , 30+30+15+15+5+5% |


* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS VHF

VHF SPLITTERS «1 STEP»

FEATURES

- VHF SINGLE STEP SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| Model | Article description | | Power | IN | OUT |
|------------------|-----------------------------|--------------|-------|------|-----|
| GACN/2N-V | POWER SPLITTER , 2 out, VHF | 140 - 150Mhz | 1KW | N | N |
| GACN/4N-V | POWER SPLITTER , 4 out, VHF | 140 - 150Mhz | 1KW | N | N |
| GACM/2N-V | POWER SPLITTER , 2 out, VHF | 140 - 150Mhz | 2KW | 7/16 | N |
| GACM/4N-V | POWER SPLITTER , 4 out, VHF | 140 - 150Mhz | 2KW | 7/16 | N |
| GACN/2N-W | POWER SPLITTER , 2 out, VHF | 150 - 170Mhz | 1KW | N | N |
| GACN/4N-W | POWER SPLITTER , 4 out, VHF | 150 - 170Mhz | 1KW | N | N |


* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS UHF

UHF SPLITTERS «1 STEP»

FEATURES

- UHF SINGLE STEP SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
POWDER COATED
- INTERNAL LINES IN ALUMINUM (*)
- PTFE INSULATORS
- O-RING SEALS IN SILICONE RUBBER



| Model | Article description | Power | IN | OUT |
|-----------|--|-------|------|-----|
| GACN/2N-U | POWER SPLITTER , 2 out, UHF 430 – 470Mhz | 800W | N | N |
| GACN/4N-U | POWER SPLITTER , 4 out, UHF 430 – 470Mhz | 800W | N | N |
| GACM/2N-U | POWER SPLITTER , 2 out, UHF 430 – 470Mhz | 1,5KW | 7/16 | N |
| GACM/4N-U | POWER SPLITTER , 4 out, UHF 430 – 470Mhz | 1,5KW | 7/16 | N |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.

POWER SPLITTERS SHF

SHF SPLITTERS

FEATURES



- SHF SINGLE STEP SPLITTERS
- EXTERNAL BODY IN ALUMINUM (*)
- INTERNAL LINES IN SILVER PLATED BRASS
- PTFE INSULATORS
- SUITED FOR EXTERNAL USE, WITH O-RING SEALS IN SILICONE RUBBER

| Model | Article description | Power | IN | OUT |
|----------|---|-------|----|-----|
| GACN/2NS | Divider , 1 step , 2 Outputs , 2,3 – 2,5Ghz | 100W | N | N |
| GACN/3NS | Divider , 1 step , 3 Outputs , 2,3 – 2,5Ghz | 100W | N | N |
| GACN/4NS | Divider , 1 step , 4 Outputs , 2,3 – 2,5Ghz | 100W | N | N |
| GACN/2NR | Divider , 1 step , 2 Outputs , 1,5 – 1,7Ghz | 100W | N | N |
| GACN/3NR | Divider , 1 step , 3 Outputs , 1,5 – 1,7Ghz | 100W | N | N |
| GACN/4NR | Divider , 1 step , 4 Outputs , 1,5 – 1,7Ghz | 100W | N | N |

* To adapt our products line to the highest quality standards and at the same time in order to guarantee respect for the environment and human health, we have decided to modify the surface treatments of the aluminum components, eliminating hexavalent chromium (Alodine 1200) and passing to the new Passivation and protection process called **SurTec 650**. This treatment guarantees excellent protection of the aluminum even without using Chromium VI. This means that from now on all our aluminum products will no longer have the typical yellow-gold color as the new treatment is practically transparent and colorless.