

MC-62-2.4

SHF PARABOLIC ANTENNA

FEATURES

- DISH ANTENNA FOR STL SHF
- VERTICAL/HORIZONTAL POLARIZATION
- CONNECTOR IN **N**
- WIDE BAND
- MADE OF UV RESISTANT ABS
- CLAMP AND SCREW STAINLESS STEEL



TECHNICAL DATA

Frequency Range	2.3 - 2.5Ghz
Impedance	50ohm
Return Loss	≥ 11dB
Gain	21dBi
Power	50W
F/B Ratio	≥ 30dB
Wind load at 160Km/h	17kg
Diameter	64cm
Weight	4.4Kg
Mast Clamp diameter	25-65mm
Temperature range	-40 - +80°C



MC-RM

Special Bracket for pole 50-115mm

MC-86-2.4

SHF PARABOLIC ANTENNA

FEATURES

- DISH ANTENNA FOR STL SHF
- VERTICAL/HORIZONTAL POLARIZATION
- CONNECTOR IN **N**
- WIDE BAND
- MADE OF UV RESISTANT ABS
- CLAMP AND SCREW STAINLESS STEEL



TECHNICAL DATA

Frequency Range	2.3 - 2.5Ghz
Impedance	50ohm
Return Loss	≥ 11dB
Gain	24dBi
Power	50W
F/B Ratio	≥ 30dB
Wind load at 160Km/h	34kg
Diameter	88cm
Weight	6.5Kg
Mast Clamp diameter	25-65mm
Temperature range	-40 - +80°C



MC-RM

Special Bracket for pole 50-115mm

MC-86-5.7

SHF PARABOLIC ANTENNA

FEATURES

- DISH ANTENNA FOR STL SHF
- VERTICAL/HORIZONTAL POLARIZATION
- CONNECTOR IN **N**
- WIDE BAND
- MADE OF UV RESISTANT ABS
- CLAMP AND SCREW STAINLESS STEEL



TECHNICAL DATA

Frequency Range	5.47 - 5.9Ghz
Impedance	50ohm
Return Loss	≥ 11dB
Gain	31dBi
Power	50W
F/B Ratio	≥ 30dB
Wind load at 160Km/h	34kg
Diameter	88cm
Weight	6.5Kg
Mast Clamp diameter	25-65mm
Temperature range	-40 - +80°C



MC-RM

Special Bracket for pole 50-115mm

MC-86-5.7-DP

SHF PARABOLIC ANTENNA

FEATURES

- DISH ANTENNA FOR STL SHF
- DOUBLE POLARIZATION
- CONNECTOR IN **N**
- WIDE BAND
- MADE OF UV RESISTANT ABS
- CLAMP AND SCREW STAINLESS STEEL



TECHNICAL DATA

Frequency Range	5.47 - 5.9Ghz
Impedance	50ohm
Return Loss	≥ 11dB
Gain	31dBi
Power	50W
F/B Ratio	≥ 30dB
Wind load at 160Km/h	34kg
Diameter	88cm
Weight	6.5Kg
Mast Clamp diameter	25-65mm
Temperature range	-40 - +80°C



MC-RM

Special Bracket for pole 50-115mm